



Premium 2Way Accessory Catalog



(248) 720-2001

Table of Contents

| | |
|--------------------|--|
| Page 3 | Naming Convention |
| Page 4 & 5 | BRAIDED FIBER CLOTH Earpieces |
| Page 6 & 9 | <i>SnapLock System</i> Earpieces |
| Page 10 | Acoustic Tube Earpieces |
| Page 11 | Ear Hook Earpieces |
| Page 12 | D, C Rings and Ear Bud Earpieces |
| Page 13 | Swivel Earpieces |
| Page 14 & 15 | eco Priced Earpieces |
| Page 16 & 17 | Wrap-Tight Earpieces |
| Page 18 & 19 | Retail Swivel Earpieces |
| Page 20 & 21 | Knowles Hi-Def Earpieces |
| Page 22 & 23 | N^{ear} Earpieces |
| Page 24 & 29 | Speaker Microphones |
| Page 30 & 31 | Receive Only Earpieces |
| Page 32 | Noise Cancelling Knowles Hi-Def Headsets |
| Page 33 | Light Weight Headsets |
| Page 34 - 37 | Heavy Duty Headsets |
| Page 38 | Adaptors |
| Page 39 | Hirose™ Adaptors and Accessories |
| Page 40 | Acoustic Tube Ear Tips & Parts |
| Page 41 | Earpiece & Headset Parts |
| Page 42 | Radio & Hirose Adaptors |
| Page 43 | Speaker Mic & Battery Parts |
| Page 44-51 | Connector Charts |

Earpieces

| | |
|-------------|------------------------|
| AT | Acoustic Tube |
| ATS | Acoustic Tube Straight |
| SWVL | Swivel |
| EH | Ear Hook |
| EHLG | Ear Hook Large |
| DR | D-Ring |
| DRA | D-Ring Adjustable |
| EB | Ear Bud |
| SL | SnapLock |

Examples

AT1W = Acoustic Tube 1 Wire

AT1W-M = Acoustic Tube 1 Wire with
Motorola M Connector

Receive Only Earpieces

| | |
|------------|----------------------------|
| ROC | Receive Only Coiled Wire |
| ROS | Receive Only Straight Wire |

ATROC15 = Acoustic Tube Coil 15mm

ATROC15-3.5 = Receive Only Acoustic
Tube Coiled Wire with 3.5 Connector

Earpiece Type

| | |
|------------|--------------------------------|
| + | Braided Fiber |
| 1W | 1 Wire In-Line PTT |
| 1WB | 1 Wire Lines Out Bottom Of PTT |
| 2W | 2 Wire |
| 3W | 3 Wire |

AT+2W = Acoustic Tube Braided 2 Wire

AT+2W-M12 = Acoustic Tube Braided
Fiber 2 Wire with Motorola M12 Connector

Speaker Mics

| | |
|-----------|------------------|
| SM | Speaker Mic |
| W | Water Proof |
| NC | Noice Cancelling |

SM6W = Speaker Mic 6 Water Proof

SM6W-K = Speaker Mic 6 Water Proof
with K Connector

Headsets

| | |
|--------------|--------------------------------|
| HS | Headset |
| HSS | Headset Single Ear |
| HSD | Headset Double Ear |
| HSB | Headset Behind Head |
| HSBHD | Headset Behind Head Heavy Duty |
| HSIE | Headset In Ear |

HSS = Headset Single Ear

HSS-Y3 = Headset Single Ear with
Vertex Y3 Connector

Parts

| | |
|-------------|-----------|
| AD | Adaptor |
| ETIP | Ear Tip |
| BC | Belt Clip |

AD-M12-M = Adaptor for Motorola M12
(Multi-Pin) to M (Single Pin)

HOME OF THE ORIGINAL

**BRAIDED
FIBER
CLOTH®**

EARPIECES

3X STRONGER

90 Pound Pull-Strength

Premium 2Way Accessories



Acoustic Tube



Swivel

Ear Hook

Adj. D Ring

C Ring



Available In

1 Wire Kit

2 Wire Kit

(2 Wire Is Noise Cancelling)

&

***SNAPLOCK
EARPIECE
SYSTEM*** ®

BRAIDED FIBER CLOTH

SnapLock

1 Wire

SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male **SnapLock** connector

BRAIDED FIBER CLOTH

SnapLock

2 Wire

SL+2W



- Improved strength and durability
- Tangle-free
- Noise cancelling premium microphone with clip-on PTT
- With male **SnapLock** connector



High-quality
SnapLock
metal-to-metal
connector



SnapLock

1 Wire

SL1W

- A straight through in-line PTT with microphone
- With male **SnapLock** connector



SnapLock

2 Wire

SL2W

- Clip-on PTT with microphone
- With male **SnapLock** connector

SnapLock

3 Wire

SL3W

- Palm PTT
- Discreet pin on lapel microphone
- With male **SnapLock** connector



Features

- Industry-leading 90lb pull strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

Cords on All Earpieces

HOME OF THE ORIGINAL

SNAPLOCK[®]

EARPIECE SYSTEM

1 Wire

2 Wire

OR

3 Wire

Available In

BRAIDED FIBER CLOTH[®]

Or Standard Resin Line

HOME OF THE ORIGINAL

SNAPLOCK®
EARPIECE SYSTEM

**INDUSTRY'S
LARGEST
SELECTION**

Available In
BRAIDED FIBER CLOTH®
Or Standard Resin Line

Premium 2Way Accessories



SnapLock Covert Ear Tips

SL-ET+2-W - White

SL-ET+2-B - Black



NEW

SnapLock In-Ear Hi-Def

SL-HD+IEG - Gel Tip

SL-HDIEF - Foam Tip



NEW

SnapLock Swivel

SL-SWVL



SnapLock Ear Hook

SL-EH - Standard

SL-EHLG - Large speaker



Indestructible Connector



SnapLock Bone Conduction

SL-BC - Hearing Aid



NEW

SnapLock D&C-Ring

SL-DRA - Adjustable

SL-DR - Standard

SL-CR - C-Ring



NEW

SnapLock High-Def Acoustic Tube

SL-ATHD+ - Knowles Speaker



NEW

SnapLock 3.5 Connector

SL-F3.5 - Female

SL-3.5 - Male



NEW

SnapLock Noear Stealth 260 & 360

SL-P260 Clear - Critical Comm.

SL-P360 Clear - Critical Comm.



NEW

SnapLock Acoustic Tube

SL-AT - Premium Acoustic Tube

SL-ATR - Economically Priced for retail and hospitality



BRAIDED FIBER CLOTH Acoustic Tube 1 Wire

AT+1W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding

BRAIDED FIBER CLOTH Acoustic Tube 2 Wire

AT+2W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise cancelling premium microphone

Acoustic Tube 1 Wire

AT1W

- A straight through in-line PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 2 Wire

AT2W

- Clip-on PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 3 Wire

AT3W

- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone



Features

- Industry leading 30lb pull-strength
- Quick disconnect clip – secures the earpiece and provides additional cable strain relief
- Twist off acoustic tubes – hygienic quick and easy swap between multiple users sharing equipment

[See Replacement Parts on Acoustic Parts Page](#)

KEVLAR

[Cords on All Earpieces](#)

BRAIDED FIBER CLOTH

Ear Hook 1 Wire EH+1W

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/microphone with added shielding



Ear Hook 1 Wire EH1W

- A straight through in-line PTT with microphone



Ear Hook 2 Wire EH2W

- Clip-on PTT with microphone

Ear Hook with large speaker EHLG1W

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone



Features


- Industry leading 30lb pull-strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

Cords on All Earpieces

D-Ring Adjustable 1 Wire **DR1W** **DRA1W**

- A straight through in-line PTT with microphone



C-Ring 1 Wire **CR1W**

- A straight through in-line PTT with microphone



Ear Bud 1 Wire **EB1W**

- A straight through in-line PTT with microphone



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

Cords on All Earpieces

BRAIDED FIBER CLOTH Swivel 1 Wire SWVL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



Swivel 1 Wire

SWVL1W

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users

Swivel 2 Wire

SWVL2W

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

Cords on All Earpieces

eco price

**Standard Earpiece Offering
Economically (eco) Priced Below Our
Premium N2W Accessories**

25% to 35% Lower Pricing

1 Year Warranty

**eco
price**

NEW

Ear Hook 1 Wire

EH1WB(eco)

- Lines out Bottom
PTT with Microphone



**eco
price**

NEW

Swivel 1 Wire

SWVL1WB(eco)

- Lines out Bottom
PTT with Microphone



**eco
price**

NEW

D-Ring 1 Wire

DR1WB(eco)

- Lines out Bottom
PTT with Microphone



**eco
price**

NEW

Acoustic Tube 1 Wire

AT1WB(eco)

- Lines out Bottom
PTT with Microphone



Acoustic Tube 2 Wire

AT2W(eco)

- Lines out Bottom
PTT with Microphone

**eco
price**

NEW



- **25% - 35% Lower Pricing**
- **Quality Microphone**
- **Loud Speaker**
- **Strong 360 Degree Rotating Clip**
- **Replaceable Parts**
- **1 Year Warranty**



NEW **WRAP-TIGHT** Adjustable Sizing Earpiece

NEW

Swivel Wrap-Tight

SWVLWT1W

- A straight through in-line PTT with microphone



NEW WRAP-TIGHT

NEW



Ear Hook Wrap-Tight

EHWT1W

- A straight through in-line PTT with microphone

- Make it long or make it short
- Wrap up the extra line for a perfect fit
- Premium in-line microphone
- Strong rotating clothing clip

KEVLAR

Cords on All Earpieces

Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector



NEW

NEW RETAIL SWIVEL

Available For:


Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)



RETAIL CONNECTORS

Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)





WORN BY RETAILERS NATIONWIDE

NEW “HIGH-DEF” SPEAKER EAR PIECES

NEW

knowles
Premium Speakers

Speaker Size On A Dime



SnapLock Hi-Def Knowles In-Ear **SL-HD+IEG**

- Gel Ear Tip
- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



NEW

SnapLock Hi-Def Knowles In-Ear **SL-HDIEF**

- Foam Ear Tip
- Mechanical On/Off Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality



NEW

SnapLock Hi-Def Acoustic Tube Knowles Speaker **SL-ATHD+**

- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



NEW

knowles
Premium Speakers
Engineered specifically
for Voice Quality

NEW “HI-DEF” RECEIVE ONLY ACOUSTIC TUBE



Available Now!



Speaker Size On A Dime



Item: ATHDROC30-3.5



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips

NEW “HI-DEF” SNAPLOCK ACOUSTIC TUBE

Available Now!

Item: SL-ATHD+



Speaker Size On A Dime



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Works with all **SnapLock** Base PTT Systems
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips

Near

IMPROVED CRITICAL COMMUNICATIONS



360PRO

0% EAR FATIGUE

6 PATENTS

IN-EAR TECHNOLOGY

FDA APPROVED

100% SITUATIONAL AWARENESS

3 YEAR WARRANTY



260PRO

0% EAR FATIGUE

3 PATENTS

IN-EAR TECHNOLOGY

100% SITUATIONAL AWARENESS

3 YEAR WARRANTY

N[»]ear

260PRO



A strong partnership is very important to us. We worked together for 9 years before we founded N[»]ear, and our partnership is based on credibility, dedication and professionalism.

MADS STAERKE
Founder of N[»]Ear

We believe that creating a great communications experience requires quality products and insight in the essential need of the customer.

JESPER MARTINI
Founder of N[»]Ear

Near

IMPROVED CRITICAL COMMUNICATIONS



360PRO
Patented Technology

0% Ear Fatigue

6 Patents

In-Ear Technology

FDA Approved


100% Situational Awareness

3 Year Warranty

Available In:

***SnapLock Earpiece System
& Receive Only***

Premium 2Way Accessories



SnapLock 260PRO

SL-P260-Clear
SL-P260-Black
SL-P260-Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 1 Year Warranty



SnapLock 360PRO

SL-P360-Clear
SL-P360-Black
SL-P360-Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 3 Year Warranty



Receive Only 260PRO

P260RO-3.5 Clear
P260RO-3.5 Black
P260RO-3.5 Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 1 Year Warranty

SnapLock 360PRO Dual Ear



Best Selling Speaker Microphone 6 Series

SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long, heavy-duty cord



3.5mm accessory
port on the side

360 degree rotating
clothing clip



SM6W

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"



SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



SM6WL

- Same features as above SM6W
- Extra-Long heavy-duty cord

Battery Powered Speaker Mic

SM17

- Great high and low volume
- Compact, heavy-duty design
- IP55 water & dust resistant
- Led Indicator - Charging
- Volume control
- LED Front light
- Replaceable lithium 1500mAH battery
- Dimensions: 2.3" x 1.1 x 3"



3.5mm accessory
port on the side

Micro USB
Charging Port



KEVLAR

Cords on All Speaker Mics



Compact, heavy-duty design
4.9mm fire retardant cable
3.5mm audio accessory port
Heavy gauge coiled cord
Dimensions: 2.25"x.8"x2"

SM6W
3.5 Audio
Earpiece Port

Emergency Button Optional



IP67
Speaker Mic Rating

WATER AND DUST PROOF



ENGINEERED FOR ENHANCED AUDIO
PERFORMANCE AND DURABILITY
INDEPENDENT LAB TEST RATING IP67
4.9mm FIRE RETARDANT CABLE

Compact Size

SM1

- Dimensions: 2.1" x 1" x 2.7"



3.5mm accessory
port on the side
360 degree rotating
clothing clip



Standard Size

SM2

- Dimensions: 2.3" x 1.1" x 3"



3.5mm accessory
port on the side
360 degree rotating
clothing clip



Compact Size

SM3

- Dimensions: 2" x 1" x 2.8"
- Most economical
- Newly designed lightweight



3.5mm accessory
port on the bottom
360 degree rotating
clothing clip



Heavy Duty

SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant

SM4W

- Available in waterproof with an IP67 rating/ water and dust proof
- No accessory jack



3.5mm accessory
port on the bottom
- SM4 model only
360 degree rotating
clothing clip



Mobile Palm Mic

PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP57 rated/ water and dust resistant



KEVLAR

Cords on All Speaker Mics






ACTIVE NOISE CANCELLING Speaker Mic.

Background Noise & Voice Go Into Radio

Mic. Reduces Background Noise for Clear Voice



SM6WLNC



Dual Mic. Technology

1st Mic Captures Voice

2nd Mic Captures & Removes Background Noise

Item # SM6WLNC





Passive Noise Cancelling
SM2NC

- IP54 Dust & water resistant
- Heavy gauge 4.2mm cable
- Strong 360-degree rotating clip

NOISE CANCELLING

Premium Accessories



Premium 2Way Accessories

MIL SPEC **SPEAKER** MIC 8W Active Noise Cancelling

NEW

3 MIC TECHNOLOGY

Performance speaker with integrated DSP software for active noise cancellation via triple mics



Features

- Tested MIL-STD810G
- IP67 water protection
- Flame retardant
- Active noise cancellation
- Triple microphone
- Nexus 5 pole jack for headset
- Audio jack for earphone 3.5mm
- Large front PTT
- Side PTT
- Volume (top) toggle switch
- Optional LED
- Optional emergency button
- Optional function button



RECEIVE ONLY - LENGTH OPTIONS



YOUR CHOICE OF COMFORTABLE AND RELIABLE EARPIECES

Full View



Ear Tip Optional Parts



ATROC10



4 Inch Length

ATROC15



6 Inch Length

ATROC30



12 Inch Length

ATROS120



48 Inch Length

Available in 2.5mm or 3.5mm audio pin

| RO | 2.5 or 3.5 millimeter connectors | LENGTH OPTIONS | |
|--------------|--|----------------|----------------|
| | | | |
| Receive Only | | Shoulder Mics | 4 inch 10 cm |
| | | Shoulder Mics | 6 inch 15 cm |
| | | Chest Mics | 12 inch 30 cm |
| | | Hip Mics | 48 inch 120 cm |

NEW "HI-DEF" RECEIVE ONLY ACOUSTIC TUBE

Available Now!

Speaker Size On A Dime








- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips

Item: ATHDROC30-3.5



Hi-Def Premium Voice Receive Only

ATHDROC30-2.5 12 in long w/ 2.5mm
ATHDROC30-3.5 12 in long w/ 3.5mm



Hi-Def Premium Voice Receive Only

HDIEG+ROS30-2.5 9.5in long w/ 2.5mm
HDIEG+ROS30-3.5 9.5in long w/ 3.5mm



Acoustic Tube Receive Only

ATROC10-2.5 4in long w/ 2.5mm
ATROC15-2.5 6in long w/ 2.5mm
ATROC10-3.5 4in long w/ 3.5mm
ATROC15-3.5 6in long w/ 3.5mm
ATROC30-2.5 12in long w/ 2.5mm
ATROC30-3.5 12in long w/ 3.5mm
ATROC120 48in long w/ 3.5mm



Ear Bud Receive Only

EBROC15-2.5 6in long w/ 2.5mm
EBROC15-3.5 6in long w/ 3.5mm



D-Ring Receive Only

DRROC15-2.5 6in long w/ 2.5mm
DRROC15-3.5 6in long w/ 3.5mm



D-Ring Adjustable Receive Only

DRAROC15-2.5 6in long w/ 2.5mm
DRAROC15-3.5 6in long w/ 3.5mm



Ear Hook Receive Only

EHROC15-2.5 6in long w/ 2.5mm
EHROC15-3.5 6in long w/ 3.5mm



Swivel Receive Only

SWVLROC15-2.5 6in long w/ 2.5mm
SWVLROC15-3.5 6in long w/ 3.5mm



BRAIDED FIBER CLOTH

Receive Only *SnapLock*

SL+ROS120-2.5 48in long w/ 2.5mm
SL+ROS120-3.5 48in long w/ 3.5mm

See *SnapLock* System page



KEVLAR

Cords on All Earpieces




NEW HI-DEF, NOISE CANCELLING IN-EAR HEADSET

HSHD+IEF

- Hi-Def premium sound
- Noise Cancelling Mic
- Lightweight and comfortable
- Adjustable behind the head band
- Metal Headband
- Braided Fiber Cloth cords

 **knowles**
Premium Speakers
Engineered specifically
for Voice Quality



Mechanical On-Off to Ambient Noise



Premium Noise Reduction Foam Tips

24.9 ~ 48.4 dB Reduction



Noise Cancelling Boom Mic



OVER & BEHIND HEAD LIGHTWEIGHT HEADSETS

Single Side Lightweight Over the Head Headset

HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



Double Side Lightweight Over the Head Headset

HSD

- In-line PTT with microphone
- Adjustable over the head band
- Metal Headband



Lightweight Behind the Head Headset

HSB

- In-line PTT
- Lightweight wire frame



Lightweight H/D Behind the Head Headset

HSBHD

- In-line round mushroom PTT with coil cable
- Adjustable headstrap
- Heavy duty wire frame



NEW HARD HAT Headset

NEW

- Lightweight heavy duty hard hat headset
- High quality noise cancelling microphone
- Super comfortable with foam earpads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

NEW LIGHTWEIGHT PADDED Headset

NEW

- Adjustable over head dual ear muffs
- High quality noise cancelling microphone
- Quality foam ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!



Item # HS-PTTCAB



Noise Cancelling Boom Mics

Premium Molded Gel Ear Pads

SNR Rating 24dB ~ 33dB

NEW LIGHTWEIGHT FLEX Headset

NEW

Item # HS3

- Lightweight and tight Collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

NEW LIGHTWEIGHT FLEX Headset

NEW

Item # HS3G

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

NEW SINGLE MUFF Headset

- Adjustable over head single ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Item # HS1

Noise Cancelling Boom Mics

Premium Molded Gel Ear Pads

SNR Rating 24dB ~ 33dB

NEW DOUBLE MUFF Headset

- Adjustable over head dual ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Item # HS7

Noise Cancelling Boom Mics




Premium Molded Gel Ear Pads

SNR Rating 24dB ~ 33dB

BEHIND HEAD HEAVY DUTY HEADSETS




PTT in Cable Headset **HS5**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately - HS5-CAB, NX-CAB
- Available Colors   

PTT on Ear Muff Headset **HS4**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately - HS4-CAB, NX-CAB
- Available Colors   

Features

- Premium molded gel ear pads
- Includes spare boom mic shield
- Flexible boom mic
- Microphones are noise cancelling/directional mic
- SNR rating 33db H=33db M=32db L=24dB

Volume and PTT on Headset **HS8**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately - HS4-CAB

KEVLAR

Cords on Large Ear Muff

Adaptor Options



ADC-Y3-FL3.5 adaptor
dongle to 3.5mm custom
accessories



AD-Y3-FL3.5 adaptor to 3.5mm
custom accessories

Works with: VX260, VX231, VX300 Series, VX400
Series eVerge- eVX531, eVX534, eVX539

Perfect for multi shift users who are constantly plugging and unplugging earpieces, causing accessory port issues. This solution is reverse wired so the earpieces are plugged into the adaptor instead of directly into the radio, eliminating unwanted service problems for the dealer.

- Adaptor stays connected to the radio and accessories are connected and disconnected to the adaptor.
- Avoid costly repairs and radio down time associated with accessory port issues.



Adaptor Earpiece Options

Additional Adaptors Available
Inquire directly.

[See Adaptor Parts Page](#)



AD-K1-K
Kenwood



AD-M15-M
Motorola



AD-M12-M
Motorola

Our Hirose™ quick disconnect adaptors allow users to quickly attach and detach accessories without having to use the connection to the radio.

A great option for users who want to disconnect the radio without removing their accessory, disconnect quickly for charging the radio or quickly change between radios.

Adaptor Options



AD-K1-Hirose - works with Kenwood radios



AD-M12-Hirose - works with Motorola MOTOTRBO radios



AD-M3-Hirose includes PTT and 3.5mm accessory port

[See on Adaptor Page](#)



- Allows accessory to stay on person while changing or charging radios.
- Adaptor stays connected to the radio and accessories are quickly connected and disconnected to and from the adaptor
- Engineered and designed to ensure quality control

Hirose™ Earpiece Options

Available in 1 or 2 Wire Acoustic Tube



AT1W-Hirose 1-wire acoustic tube earpiece with straight through in-line PTT/microphone

AT2W-Hirose 2-wire acoustic tube earpiece with clip-on PTT / microphone



AT+1W-Hirose 1-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with straight through in-line PTT / microphone with added shielding

AT+2W-Hirose 2-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with noise cancelling premium microphone and palm PTT

SNAPLOCK SYSTEM



SL+2W - 2-wire **SnapLock BRAIDED FIBER CLOTH** with noise cancelling premium microphone and palm PTT Earpieces sold separately:

- SL-EB** - Ear Bud
- SL-EH** - Ear Hook
- SL-SWVL** - Swivel
- SL-DR** - D-Ring
- SL-DRA** - Adjustable D-Ring
- SL-AT** - Acoustic Tube
- SL-ATR** - Acoustic Tube Retail

Acoustic Tube Ear Tips



ETIP Tan/Black
Clear 1, 2, 3
10 or 100 Pack



Molded Ear Tips
Black/Clear/Pink
S,M,L, Right/Left



EFIN Ear Fins Tips
S,M,L, Right/Left




ETIP3-C - Clear
10 or 100 Pack



ETIPHDG-MLMR
Hi-Def ear tip



ETIP-FOAM Premium
Noise Reduction ear tip
24~48 dB
1,10 or 100 pack



EAR TIP
(ON EARPIECE) EAR PLUG
(NO HOLE)
ETIP-FOAM & Plug
Premium Noise Reduction
ear tips
24~48 dB



YELLERS Noise
Reduction ear tip
1,10 or 100 pack

Acoustic Tube Parts



ATCOMPSET - Clear



C4TUBESET with Clear
Tips



B4TUBESET - Clear
Tips Surgical Tubing



Acoustic Tube only
Clear/Black



TUBESET with Clear
Tips Surgical Tubing



B4JOINTB



LJOINT - Joint



B4SPKCLIP-B

Headset Mic Foams and Ear Pads



ESSB-10 -Black - for
Ear Hook - 10 pack



MICMB - mic sponge
HSB, HSS, HSBHD &
HSD - 1 pack/10 pack



MICLB - mic sponge
HS4, HS5, HS7, HS8
1 pack/10 pack



DRATIPB - adjustable
D-Ring - 2 pack/10 pack



EMEGPAD - gel pad
HS4, HS5, HS7, HS8



HSLWEP - earpad
HSS & HSD



CLIP - fits 2.0mm &
2.5mm cable



CLIPA - 2.0-3.8mm
cable




ATHDCLIP



FPTT - Wired
Finger PTT



USB-MICRO Cable



SM7BAT - Speaker Mic 7
Replacement Battery

Adaptors



AD-M12-M
Motorola



AD-M15-M
Motorola



AD-M4-M
Motorola



AD-M5-3.5
Motorola



AD-K1-K
Kenwood



AD-Y3-FL3.5
Vertex



AD-I-S2
Icom



ADC-Y3-FL3.5
Vertex

HIROSE



AD-M3-HIROSE
Motorola



AD-M15-HIROSE
Motorola



AD-M12-HIROSE
Motorola



AD-K1-HIROSE
Kenwood

**Call for options
on non-US-stocked
adaptors**

Battery Clips




BC1 - Clip for CP110
and RDU2080



BC2 - Clip for CP200



BC3- Clip for HT750
and HT1250



BC4 - Clip for Motorola
XPR6550



BC5 - Clip for Motorola
XPR3500 and XPR7550

**Call for options
on non-US-stocked
clips**

Speaker Mic Clips



SM2CLIP- replacement
clip for SM2, SM4 & SM4W



SM3CLIP- replacement
clip for SM1 & SM3







SM6CLIP- replacement
clip for SM6






PMCLP - replacement clip
for Palm Mics










| Image | Part no. | Works With Radio Models: |
|---|----------|---|
|  | BK2 | P150 KNG |
|  | K | Relm RPU416, RPU416A, RPU499, RPU499A Plus, RPU4200, RPV516, RPV599X, RPV516A, RPV599A Plus |
|  | M5 | Relm RPV3000 / 3600 / RPU3000 / 3300C |
|  | M | Relm RP6500 |








| Image | Part no. | Works With Radio Models: |
|---|----------|--|
|  | HR2 | P5300, P5350, P5370, P5400, P5450, P5470, P5500, P5550, P5570, P7300, P7370, P7350, XG-25, XG-75 |
|  | H6 | HDP100, HDP150, HDP250 Momentum |
|  | H7 | HDP-250 |








| Image | Part no. | Works With Radio Models: |
|---|----------|--|
|  | H4 | BD5 Series, PD4 Series, PD5 Series, TC-446S, TC-500, TC-508, TC-518, TC-580, TC-600, TC-610, TC618, TC620, TC626, TC-700, TC-700 Ex PLUS, POWER446 |
|  | H5 | TC320 with locking screw |
|  | H6 | PD7 Series, PD98X |
|  | H7 | PD-6 Series, X1e, X1p |
|  | H8 | BD3 Series, PD3 Series |
|  | M4 | TC-980 |
|  | M5 | TC-610P, TC700P, TC-780, TC-780P, TC-780M |




| Image | Part no. | Works With Radio Models: |
|---|----------|--|
|  | S2B | IP-100H, IP-501H - Waterproof |
|  | S3 | F1100D/F2100D, F3210D/F4210D, F11, F11S, F14, F14S, F21, F21S, F24, F24S, F33GS, F33GT, F43GS, F43GT, F43TR, F3003/F4003, F4026DR, F4029SDR, F43GS, F43GT, F43TR, F1000/F2000, F3003, F3021/F4021, F4029SDR, F3001/F4001, F3011/F4011, F3101/F4101, JC-V80/V80E, |
|  | S3B | F1000/F2000D/T/S, F1100D/F2100D, F3031S/4031S, F3230/4230DT/DS, F31/41W, V88 - BC1000 Watreproof |
|  | I2 | F30G/ F30GT/ F30GS/ F31GS/ F31GT, F40G/ F40GS/ F40GT, F50/ F50V/ F51, F60/ F61/ F61V, F70, F80, M87 / 88, F3061 Series/ F4061 Series, IC-F3161 Series/ F4161 Series, F3062/F4162, F4029DRR |
|  | I4 | F3260/ F4230, F3261D/ F4261D, F3360D/ F4360D, PD52D, PD62D, F3400D/ F4400DT/DS/D, F5400/6400D/DS, F7010/F7020, F7210T/F/S, F9011/F9021, |










KENWOOD

| Image | Part no. | Works With Radio Models: |
|---|----------|--|
|  | K | Free Talk XLS, NX240V/340U, Pro Talk XLS, TK208/308, TK2100/3100, 2160/3160/3101,TK2170/3170/3173,TK220/320, TK240/340, TK240D/340D, T248, TK250/350/353, TK348, TK248, TK430/431, TK2200/3200, TK2202/3202/TK3212, TK2130, TK2212, TK2300/TK2312 3101 Free Talk, TK2400, TK2302/3302, TK3312, TK259/359, TK272G/372G, TK3100, TK3130 (ProTalk XLS), TK3173, TK2360, ,TK3230,TK3360, TK3131, TK3201, TK3300, TK3350, TK260G/360G, TK270G/370G, TK373G, XL2102/3102 Pro Talk, TK2400VP/3400UP, TK2402V/3402U, TK260, TK360, TK370, TK373 TK2130 ProTalk XLS),TK3131 (FreeTalk XLS) NEXEDGE NX220, NX240 / 340, NX320, NX420 |
|  | K1 | TK-190/290/390, TK-280/380/480, TK-385, TK-481, TK-2140/3140, TK-2180/3180/4180, TK-3148, TK-3212, TK-5210/5310, TK-5220/5320, TK-5410, TK-5320/5420, TK-5400, <u>NEXEDGE</u> NX200/300, NX210, NX410/411, NX-3200/3300, NX-5200, NX-5300, NX-5400 |
|  | K2 | PKT23 |
|  | K5 | NX-P500 |
|  | KM | Kenwood Mobil Palm Mic |





EFJohns

| Image | Part no. | Works With Radio Models: |
|---|----------|---|
|  | M3 | Viking VP600, VP900, Viking Fire, Viking CK8500 Series, Avenger 8100 Series, 51 Fire ES, 5100 ES Series, 51SL ES Series, 51LT ES, Multi-Net Ascend ES Series, AN/PRC 127EFJ |




| Image | Part no. | Works With Radio Models: |
|---|----------|---|
|  | M | BC10, BC90, BC120, BC130, BPR40, CLS1110, CLS1410, CP125, CP88, CP100, CP110, CP150, CP185, CP200, CP200D, CP200XLS, CP450, CT150, CT250, CT450, CT450LS, DTR Series, GP2000, GP300, GP308, GP68, GP88, GP2000, GTI, GTX, LTS2000, MAG ONE, PR400, P040, P080, P110, P1215, P1225LS, PRO3150, SP10, SP21, SP50, XTN446, XTN500, XTN600, XV1100, XV2100, XU1100, XU2100, XU2600, VL130, VL50, GP280, GP350 (requires Motorola adaptor HLN9482) |
|  | M3 | GP900, GP9000, HT1000, JT1000, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTX-LS, XTS2500, XTS3000Astro, XTS3500, XTS5000, XTS3000, PR1 500, XTS1500, MX838 |
|  | M4 | GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, MTX950, PR860, MTP700, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PRO7550, PRO9150, PTX700, PTX760, PTX780, PRO7750, WARIS |
|  | M5 | EX500, EX560, EX560XLS, EX600, GL200, GL2000, GP328Plus, GP338Plus, GP344, GP388, Pro5150Elite, Pro7150, Pro9150, Elite7150, Elite9150 |
|  | M12 | APX6000, APX7000, DP3400, DP3401, DP3600, DP3601, SRX2200, XPR6300, XPR6350, XPR6380, XPR6500, XPR6550, XPR6580, XPR7350e, XPR7380e, XPR7550e, XPR7580e, |
|  | M14 | SL300, SL3000e, SL3500e, SL500, SL7000, SL7500, SL7550e, SL7580e, SL7590e, SL4000, SL4010 - WAVE TLK100 |
|  | M15 | APX3000/8000, DP2000, DP2400, DP2600, DP 3441MTP, 3100/3150/3200/3250/3500/3550, DP2400, DP2600, DP3441, MOTOTRBO - XPR3300e, XPR3500e |
|  | M17 | CLP1010, CLP1040, CLP1060 |
|  | MM | XPR5000 Series Mobie Radio Pam Mic |
|  | MM1 | CM200d, CM300d, XPR 2500 Mobile Radio Palm Mic |

maxon *TECHNET*


| Image | Part no. | Works With Radio Models: |
|---|----------|--|
|  | M | TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416 |
|  | M12 | TPD-1116, TPD-1416, TPD-1124, TPD-1424 |
|  | M14 | TPD-8124, TPD-8424 |
|  | K | TS-3416K |

| Image | Part no. | Works With Radio Models: |
|-------|----------|--------------------------|
|-------|----------|--------------------------|

NEXTEL

| | | |
|---|----|-------------------------------------|
|  | KN | NEXTEL i300, i305, i405, i450, i475 |
|---|----|-------------------------------------|


sepura

| | | |
|---|-----|--|
|  | SP2 | SC230 Series, STP8000, STP9000, STP9100, STP9200 |
|---|-----|--|




tait

| | | |
|--|----|------------------------------|
|  | TA | TP8100 series, TP9400 series |
|--|----|------------------------------|

TEKK

| | | |
|---|-----------------------|------------------------------|
|  | M Digital Ready | XU100, XV100, XU1000, XV1000 |
|---|-----------------------|------------------------------|

Vertex Standard

| Image | Part no. | Works With Radio Models: |
|---|----------|--|
|  | Y3 | BC95, eVerge- eVX531, eVX534, eVX539, VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX300, VX231, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459 |
|  | Y5 | VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979 |
|  | Y6 | eVX-S24 |

1. Payment terms are due upon receipt unless prior written approval.
2. Freight: F.O.B. warehouse Tampa, FL.
3. Shipping policy: If product is in stock, orders will typically ship same day if received before 2:00pm.
4. Pricing, specifications and terms are subject to change without notice.
5. Return policy: National2Way will accept returns on NEW product, in original packaging, within 90 days of original purchase date with a 20% restocking fee. Individual restocking issues will be determined by National2Way. After 90 days, National2Way will not accept returns.
6. We will accept Visa, MasterCard, Discover, American Express and wire transfers of remittances for payment.
7. Warranty: 36 months from date of purchase with the exception of wireless products, batteries, and battery powered products which are warranted for 12 months from date of purchase.
8. Applicable taxes, shipping expenses, duties, and charges are in addition to the prices shown.
9. Customer purchase orders are subject to the following:
 - a. Acceptance upon receipt
 - b. Customer cannot change or alter delivery dates after order has shipped.
 - c. Terms of payment must be on Purchase Orders.
 - d. Shipment and taxes may be applied or altered after N2W receives the purchase order
 - e. Address of delivery destination
 - f. All special delivery instructions
 - g. Purchase Order number
 - h. Order information
 - i. Full name, title and contact information for authorized purchasing party.
10. National2Way audio accessory products are designed to produce a specific audio output level at maximum rated power. Modifying these devices in any way, including or removing components and accessories may change audio output of the device and result in PERMANENT HEARING DAMAGE.

Many countries have regulations defining the amount of noise that an individual can be subjected to during a normal workday. The duration of exposure, the level of audio output and the level of ambient noise will affect compliance to these regulations. Compliance is application dependent and standards vary. It is the **SOLE RESPONSIBILITY** of the end-user to determine applicability of, and compliance to, local hearing protection guidelines.

In addition, if purchasing any N2W accessory which use earphones kits, it is the **SOLE RESPONSIBILITY** of the user to determine proper fit. Always use caution when inserting any of the products into the ear.

Access to Ordering and Shipment information

National2Way grants access to up-to-date account and pricing information at www.national2way.com. Users can complete the request for login info to do the following:

- Order items quickly and easily
- Check the status of your orders
- View order history
- Store alternative shipping addresses
- Update account information
- Download resources for your sales group

National2Way warrants all products against defects in materials or workmanship for 36 months from the date of purchase with the exception of wireless products, batteries, and battery powered products which are warranted for 12 months from the date of purchase. National2Way will repair or replace a defective unit, at our option, without charge for parts or labor. The limited warranty is extended only to the original purchaser and is valid only to consumers in the United States and Canada. It does not cover damage or failure caused by or attributable to Acts of God, abuse, misuse, improper or abnormal usage, faulty installation, improper maintenance, lightning or other incidences of excessive voltage, or any tampering or repairs other than N2W authorized repair facilities. It does not cover replacement of consumable products, transportation costs, or damage in transit. This warranty will become void if the serial number or model number identification has been wholly or partially removed or erased.

Repair or replacement under the terms of this warranty does not extend the terms of this warranty. The warranty can only be modified by an officer of National2Way, and then only in writing. Should this product prove to be defective in workmanship or materials, the consumer's sole remedies shall be repair or replacement as provided by the terms of this warranty. Under no circumstance shall N2W be liable for any loss or damage, direct consequential, or incidental, arising out of the use of or inability to use this product. Some states do not allow limitations on how long an implied warranty lasts or the exclusions or limitations of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific rights. You may also have rights, which vary from state to state.

National2Way is committed to our dealers/customers. We are recognized worldwide for innovative, durable products with superior performance. All products are vigorously tested to exceed industry standards. We do recognize that we have a need to replace faulty equipment from time-to-time and we want this to be as painless as possible for you so you can take care of your customers.

We provide a three-year warranty on all of our speakers, headsets and speaker microphones, and a one year warranty on all of our wireless products. Please visit <http://national2way.com/rapidwarranty> and follow the steps to submit a request a Rapid Warranty or email rapidresponse@national2way.com. All replacement products will ship next business day via FedEx.

Dealer pre-Testing of Equipment – please take the time to Dealer test all products before returning them to N2W. If N2W service technicians are unable to duplicate or determine the stated failure mode, the product will be returned.

Warranty vs Non-warranty – If the failure mode is determined to be a warranty issued, the product will be repaired or replaced at no charge. If the failure mode is determined to be non-warranty issues, the parts will be returned to the customer/dealer, along with a Failure Analysis Report. At N2W's discretion, minor rework may be performed after contact is made with the customer/dealer to ensure an understanding of how the failure occurred.

Repair Service – National2Way provides repair service for selected products. Contact customer service for further information. Several replacement part options are available which will allow your technician to repair your unit; thereby avoiding the purchase of a new unit.